

Make Your Pool Safer



BCONE

Installation & Operation Guide



Copyright © 2021-2022 Lifebuoy, all rights reserved.

HOME

- SAFETY

General Safety Instructions

Lithium-ION Batteries Safety

Guidelines

Alkaline Batteries Safety

- OPERATION

Operation Modes

On Mode

Swim Mode

Off Mode

Guidelines

- INTRODUCTION

Overview

Pool Unit

Home Unit

- **GETTING STARTED**

Opening the Box

Recommendations for Pool

Unit Installation

Recommendations for Home

Unit Installation

Setting Up the Pool Unit

Adjusting Sensitivity

Turning Alarm Off

- **SERVICE**

Troubleshooting

Replacing Pool Unit Batteries

Shut Down and Storage

Technical Specifications

Contact Information

- MULTI BCONE

Multi BCone Installation Recommendations

Adding a Pool Unit

Starting BCone

Multi BCone Operation

SAFETY

General Safety Instructions

- Read this guide fully prior to use.
- BCone is exclusively a safety device and is not a lifesaving product.
- Under no circumstances should you relate to this product as a substitute for other means of safety, such as a lifeguard, parental supervision, fences, gates and so on.
- This device may contain small parts that may be a choking hazard to children under 3 years. Keep small parts away from children.
- This device is not a toy, do not allow children to operate or play with it because children could hurt themselves or others or damage the device.
- Without detracting from the aforementioned, your attention is drawn to the fact that the product may not sound a warning in cases of gradual entry into the pool.
- Ensure that the system covers the entire area of the pool and if necessary, adjust the sensitivity of the system.
- Do not leave objects in the pool when the system is activated.
- Opening the home and Pool Unit for service or maintenance must be done by qualified service personnel only, with the exception of opening the Pool Unit battery compartment to replace the batteries **Replacing Pool Unit Batteries**.
- Used electrical and electronic products should not be mixed with general household waste.

Lithium-ION Batteries Safety Guidelines

The Home Unit contains one rechargeable Lithium-Ion battery. The following list describes the safety guidelines for maintaining and disposing of the battery:

- **Do not try to replace the Home Unit battery –** the battery provided by Lifebuoy is not user replacable.
- Keep the Home Unit at room temperature.
- Store the Home Unit away from anything that might catch fire.
- Stop using the Home Unit if you notice one of the following: odor, excessive heat, change in shape, leakage, odd noises.
- **Battery Disposal** do not throw the Home Unit or its battery in the trash. Batteries should be disposed of in accordance with local regulations.
- **Battery Charging –** charger requirements for charging the Home Unit is standard DC 5V USB-A charger, with minimum 800ma current.

Alkaline Batteries Safety Guidelines

The Pool Unit contains two Alkaline batteries. The following list describes the safety guidelines for maintaining and disposing of the batteries:

- Mind the polarity of the batteries when placing them in the battery compartment.
- Do not charge batteries. Charging may result in electrolyte leakage and/or damage.
- When replacing batteries, replace all of them at the same time with new batteries of the same type.
- Exhausted batteries should be immediately removed from the equipment and disposed of.
- Do not heat batteries.
- Do not dispose of batteries in fire.
- Keep batteries out of the reach of children. Do not allow children to replace batteries without adult supervision.
- **Battery Disposal –** Do not throw batteries in the trash. Discard batteries at an appropriate recycling location. Batteries shall be disposed of in accordance with local regulations.

COMPLIANCE INFORMATION

European Community



This equipment complies with:

- IP68 Waterproof
- Low Voltage Directive (LVD) 2014/35/EU
- Electromagnetic Compatibility (EMC) Directive, 2014/30/EU
- Radio Equipment Directive (RED), 2014/53/EU
- WEEE Directive 2002/96/EC
- Restriction of Hazardous Substances Directive (RoHS) 2011/65/EU
- Lead-Free Compliance

ASTM



MODEL LBPABCHU01/ LBPABCPU01 Meets requirements of ASTM Safety Specification F2208.

Alarm level is 85dB at 10 Feet.

Important: This device is not intended to replace any other safety consideration; that is, adult supervision, lifeguards, fences, gates, pool covers, locks, and so forth, and some devices may not detect gradual entry.

COMPLIANCE INFORMATION

FCC (Federal Communications Commission) - The United States of America

2AOXNBCHU1	2AOXNBCPU1	
Unit FCCID:	Unit FCCID:	
BCone Home	BCone Pool	
LBPABCHU01	LBPABCPU01	
Unit model:	Unit Model:	QO
BCone Home	BCone Pool	Cor

Contains FCC ID:

QOQWFM200

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

(1) This device may not cause harmful interference, and

(2) this device must accept any interference received, including interference that may cause undesired operation.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Important: Changes or modifications to this equipment not expressly approved by the party responsible for compliance (Lifebuoy Ltd.) could void the user's authority to operate the equipment.

Warning: To comply with FCC RF Exposure compliance requirements, the device (**Home Unit**) should be located at a distance of at least 20 cm from all persons during normal operation, and the device (**Pool Unit**) should be located at a distance of at least 5 cm from all persons during normal operation. These specifications are due to the typical device usage and the internal construction of the antenna with plastic enclosure providing these distances. The antennas used for this product must not be co-located or operated in conjunction with any other antenna or transmitter.

IC Canada ID:

BCone Home Unit IC: **27681-BCHU1** BCone Home Unit Contains IC: **5123A-WFM200** BCone Pool Unit IC: **27681-BCPU1**

This Class B digital apparatus complies with Canadian ICES-003. Cet appareil numerique de la classe B est conforme a la norme NMB-003 du Canada.

IC Statements

This device contains licence-exempt transmitter(s)/receiver(s) that comply with Innovation, Science and Economic Development Canada's licence-exempt RSS(s). Operation is subject to the following two conditions:

(1) This device may not cause interference.

(2) This device must accept any interference, including interference that may cause undesired operation of the device.

L'émetteur/récepteur exempt de licence contenu dans le présent appareil est conforme aux CNR d'Innovation, Sciences et Développement économique Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes :

1) L'appareil ne doit pas produire de brouillage;

2) L'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.



NOTE: To view the Regulatory ID (such as FCC ID) for this device, on the BCone app, go to the About section, or visit




INTRODUCTION

This chapter introduces the BCone system and includes:

- . Overview
- . Pool Unit
- . Multi BCone Operation

Overview

BCone system includes the following components:



Pool Unit -

attached to the side of the pool and floats on the water. The Pool Unit sounds an alarm and transmits alerts to the Home Unit.

Home Unit – located in the house, connected to the home Wi-Fi, communicates with the Pool Unit and sounds an alarm when needed. Enables controlling and monitoring up to four Pool Units.



Start Set Up

Mobile Application –


BCone mobile application, communicates with the Home Unit and sends notifications when needed. Provides access to the system settings and allows for remote monitoring.

Pool Unit

The Pool Unit includes the following components:

Product Serial Number Label –

located underneath the battery



Battery compartment cover – opened

using an a 5/64'' (2 mm) Allen key

Batteries compartment – holds the two Alkaline batteries that power the Pool Unit



Indicators – the Pool Unit includes 4 LED indicators

Buzzer – sounds an alarm as needed

Weight – keeps the Pool Unit stable and upright

Attachment ring –

Sealing ring – seals the battery compartment

Hook – connects the string to the ring

Attachment string – connects the Pool Unit to the attachment cone

Attachment cone –

connects the Pool Unit to the side of the pool


allows to easily connect and disconnect the hook from the Pool Unit

Home Unit

The Home Unit includes the following components:

WI-FI

OFF



(U)

BCONE

ON

SELECT DEVICE

SWIM MODE

Wi-Fi button – enables connecting to the home Wi-Fi network

Operation mode buttons – enable selecting the BCone operation

(see **Operation**

mode

Modes)

Select Device button (for Multi BCone users only) – enables selecting a Pool Unit to which the settings will be applied

Charger port – enables connecting the Home Unit charger

Charging cable – type C USB cable for charging the Home Unit

Buzzer – sounds an alarm as need

Product Serial Number Label



Mounting holes –

enable mounting the Home Unit on a wall using screws

GETTING STARTED

This chapter reviews the BCone first time use and includes:

- . Opening the Box
- . Recommendations for Pool Unit Installation
- . Setting Up the Pool Unit
- . Starting BCone

Opening the Box

The BCone Pool Alarm System package contains the following:

ITEM		QTY	COMMENTS
BCONE	Pool Unit	1	Includes 2 AA batteries.
	Home Unit	1	Includes a rechargeable lithium battery.

the second secon	Attachment Kit	1	The attachment kit includes: 1 attachment cone 1 suction cup 1 attachment string 2 hooks
	Type C USB Cable	1	For charging the Home Unit. (Power adapter not included)
Image: State State State Image: State State Image: State State State Image: State State	Quick Start Guide	1	




NOTE: The box is made from durable cardboard and has been specially designed to protect the contents. If the box arrived open or damaged or if a part is missing, please contact our customer service 1-800-720-7160 / info@lifebuoyalarm.com





Recommendations for Pool Unit Installation


Consider the following guidelines before installing the Pool Unit:


- A single Pool Unit can cover pool area of 20' x 40'.
- Place the Pool Unit away from any obstruction in the pool, such as a pool drain or any other pool element.
- Use the provided attachment kit to anchor the Pool Unit.
- Place the Pool Unit so that it is in line of sight with the wall on which the Home Unit is installed.
- Depending on the pool shape, place the Pool Unit according to the drawing.


























Recommendations for Home Unit Installation

Consider the following guidelines before installing the Home Unit:

- The Home Unit should be installed inside the house, on the wall closest to the Pool Unit.
- It is recommended to mount the Home Unit on the wall using two screws (not provided).
- The Home Unit should be installed close to an electrical outlet to allow charging.
- The Home Unit should be installed within Wi-Fi range to allow proper connection to the Internet.

Setting Up the Pool Unit

Perform the following steps to set up the Pool Unit:



NOTE: Choose the Pool Unit location based on the **Recommendations for Pool Unit Installation.**



NOTE: The Pool Unit is delivered operational and already paired with the Home Unit. There is no need to turn on the Pool Unit power.

Use one of the following options to attach the Pool Unit to the side of the pool:

Verify that the surface is completely dry.

Expose the double-sided sticker and attach it to the side of the pool by applying pressure to remove all air bubbles.


A2

Attach the attachment cone to the side of the pool using two screws (not provided).

A3

Verify that the surface is completely dry.

Use the suction cup to attach the Pool Unit to the side of the pool.



B

Connect the attachment string to the Pool Unit using the attachment hook, and the other end to any anchor point on the side of the pool.


Connect the attachment string between the cone hook and the Pool Unit hook.

Place the Pool Unit in the water.

Starting BCone

STARTING USINZG THE APP

Once the Home Unit and Pool Unit are set up, perform the following steps to set up BCone using the mobile app:





TIP: Scanning the QR code using a mobile device links directly to BCone application download page.






TIP: BCone mobile application works with both Amazon Alexa and Google Assistant.














Start the installation wizard and follow the step-by-step instructions provided.

Verify installation is complete.



NOTE: When using BCone without the mobile application, BCone is ready once the Home Unit and the Pool Unit are set up.

OPERATION

This chapter reviews the BCone routine operation and includes:

- . Operation Modes
- . On Mode
- . Swim Mode
- . Adjusting Sensitivity
- . Turning Alarm Off

Operation Modes

Select one of the following operation modes according to the current use of the pool:



Unit

use

On Mode – used when the pool is not being used and there is a need to detect entrance to the pool

On Mode

On mode is used when the pool is not being used and there is a need to detect entrance to the pool.

Perform the following steps to switch to On mode:

Via the Home Unit

Via the Mobile Application




12:22				.ıl	
<	LIFEBU O Y 0			?	
	Kids Pool Bcone				
0	N	GOOD	((;) GOO		
	牮 Last Alarm 14.10.20 03:23				
OFF		✓ ON	SWII	M MODE	
	Bcone Sensitivity				
1 Low	2 Change s	3 ensitivity se	4 ettings	5 High	
Share Bcone Send Invitation code to your family members Go to Profile • • • • •					
<u></u>	Ċ	Ę	ŝ	8	

Click to switch to **On** mode

Swim Mode

Swim Mode is used when the pool is in use. When BCone senses several minutes without activity, it goes back to On mode automatically. Perform the following steps to switch to Swim mode:

Via the Home Unit



Via the Mobile Application



	GOOD Last Alarm 14.		OOD	
OFF	ON	 ✓ 9 	SWIM MODE	
Bcone Sensitivity				
1 2 Low	3	4	5 High	
			0	
Ch	ange sensitiv	ity settings		
	ange sensitiv Share Bo end Invitation c family men Go to Pro	cone ode to your nbers ofile		

Swim mode

NOTE: While In Swim Mode the system does not sound an alarm.





TIP: Switching to Swim mode is also possible by taking the Pool Unit out of the water and holding it vertically for a few seconds. The Pool Unit beeps twice to indicate it is in Swim mode.

Off Mode


Off mode is used to turn off the Pool Unit. In Off mode, the system does not sound an alarm when an entrance to the pool is detected. Perform the following steps to switch to Off mode:


Via the Home Unit

Via the Mobile Application



12:22		.ul 🗢 🔲
<	LIFEBUOY	0





Click to switch to **Off** mode

Adjusting Sensitivity

BCone sensitivity levels determine the reaction of the Pool Unit to water movement.

The lowest sensitivity level means the Pool Unit sensor is triggered only by sizable waves. The highest sensitivity level means the Pool Unit sensor is triggered by smaller ripples or waves.


The default sensitivity level is 3. Perform the following steps to set the sensitivity level:







12:22 ...| 🔶 🔳 LIFEBUOY < ? Bcones Swimming Pool ((;)) SWIM OFF ON MODE GOOD ON 54% () Battary is running low Kids Pool ((_i)) SWIM MODE OFF ON SWIM 60 % GOOD Fish ((_i)) SWIM OFF MODE GOOD 54 % ON Hot Tub ((;)) SWIM ON MODE OFF 23% GOOD **Share Bcone** You can change your Lifebuoy Sensitivity 5 රි 8

settings








Turning Alarm Off

When BCone is triggered, the following indicators occur:


The **Home Unit** and Pool Unit sound an alarm, and the mobile application displays a notification.

Alarm Kids Pool



After checking the pool and verifying that no one is in danger of

drowning, perform one of the following options to silence the alarm:





NOTE: Once the alarm is silenced, BCone switches to Swim Mode and automatically turns back on once the pool is calm for several minutes.

SERVICE

This chapter reviews the BCone service and includes:

- . Troubleshooting
- . Replacing Pool Unit Batteries
- . Shut Down and Storage
- . Technical Specifications



Pool Unit, contact technical support:

www.lifebuoyalarm.com / info@lifebuoyalarm.com Toll free US & Canada only: 1800-720-7160




CAUTION: Opening the home and Pool Unit for service or maintenance must be done by qualified service personnel only, with the exception of opening the Pool Unit battery compartment to replace the batteries **Replacing Pool Unit Batteries**.

Troubleshooting



Mobile Alert – Indicates an issue that cannot be displayed on the Home Unit.

Resolution – Check the mobile application.



Connectivity Issue – Indicates a problem with the connection between the Pool Unit and the Home Unit.

Resolution –

1. Make sure that Pool Unit is floating vertically in the pool (it will not communicate otherwise)

- 2. Place the Home Unit closer to the Pool Unit.
- 3. Verify that the Pool Unit batteries are not drained.



Wi-Fi Connection Issue – Indicates a Wi-Fi connection issue.

Resolution –

1. Check that the home Wi-Fi router is working properly.

2. Place the Home Unit closer to the Wi-Fi router.



Low Battery Alert –

A blinking battery icon indicates low Home Unit battery.

Resolution – Charge the Home Unit using the supplied charging cable. When the Home Unit is charging, the battery icon is on. When the battery icon turns off, it indicates full battery.



Low Pool Unit Battery Alert – Both mobile device icon and battery icon are simultaneously on it indicates low Pool Unit battery.
Resolution – See section Replacing Pool Unit Batteries.



CAUTION: The Home Unit battery

is not replaceable.



NOTE: When BCone is in On mode, Pool Unit related issues are also indicated by the On button LED blinking red.

Replacing Pool Unit Batteries

The Pool Unit is delivered with two Alkaline batteries already installed. When the Home Unit icons indicate low Pool Unit battery (both mobile device icon and battery icon are lit simultaneously), it is advisable to change the batteries as soon as possible.

Perform the following steps to change the Pool Unit batteries:



TIP: For best performance use the Alkaline batteries provided by Lifebuoy, available on the company website.

B

Using a 5/64'' (2 mm) Allen key, unscrew the two screws and remove the top cover.


Remove the old batteries and place new AA batteries. Mind the polarity of the batteries.

Verify that the seal is in place and is clean.

Reattach the top cover by fastening the two screws.

Shut Down and Storage

During the off season, perform the following steps to shut down and store BCone:



Store the Home Unit, Pool Unit, batteries, suction cup, screws and charging cable in a cool and dry place, preferably in the original box.



NOTE: If the attachment cone is attached using the double sided tape or anchored using screws, it should remain in place and not be removed.

Technical Specifications

BCone includes the following specifications:

- BCone Home Unit model LBPABCHU01
- BCone Pool Unit model LBPABCPU01
- Alarm level of both the home and Pool Unit is 85 dB at 10 feet (complies with ASTM F-2208 standard)
- Minimum and maximum ambient temperature –
 32°F-113°F (0°C-45°C)
- Temperature range for charging battery 32°F-113°F (0°C-45°C)
- Home Unit operating voltage Input: DC5V 800mA
 - Li-ion Battery 3.7V
- Pool Unit batteries two 1.5 V AA Alkaline batteries
- Home Unit battery 3.7V Li-ion battery
- QR Code for mobile application download –



Contact Information

Manufacturer: Lifebuoy Ltd. Website: **www.lifebuoyalarm.com** Email: info@lifebuoyalarm.com

Toll free US & Canada only: 1800-720-7160 Made in Israel



CAUTION: Only use and store Li-ion batteries at temperatures of between 32°F and 113°F (0°C-45°C). Keep away from heat and open flames – risk of explosion. Do not immerse in liquids. Do not open battery.



CAUTION: AA Alkaline batteries may explode or leak if recharged, inserted improperly or disposed of in fire. Do not open battery.

MULTI BCONE

This chapter reviews the the option of using more than one Pool Unit, and includes:

- . Multi BCone Installation Recommendations
- . Adding a Pool Unit
- . Multi BCone Operation

Multi BCone Installation Recommendations

The BCone system allows pairing up to 4 Pool Units with a single Home Unit. Multiple Pool Units


can be installed in one pool or in up to 4 pools.



NOTE: Follow the guidelines in **Recommendations for Pool Unit Installation.**


When placing two Pool Units in one pool, depending on the pool shape, place the Pool Units


according to the drawing below.



Adding a Pool Unit

Perform the following steps to pair an additional Pool Unit with the Home Unit:






Multi BCone Operation


When multiple Pool Units are paired with one Home Unit, the Pool Unit must be selected before an operation mode is set. The Select Device button alternates between the multiple Pool Units. The LEDs indicate the Pool Unit that is currently selected.

Press the Select Device button to light the LED of the relevant Pool Unit (i.e. press once to select the first Pool Unit, press twice to select the second Pool Unit, and so on).

0



After selecting a Pool Unit, one of the operation mode LEDs lights up for a few seconds to indicate the current operation mode. To change the Operation Mode for the selected Pool Unit, see **Operation Modes**.



The Home Unit icons indicate current issues related to one or

more of the Pool Units

The Swim Mode button LED blinks if at least one of the Pool Units is in Swim mode

The On button LEDs indicate which of the Pool Units are in On mode

THANK VOU

LIFEBUOY

Make Your Pool Safer



Yuvalim Business Campus, Ness Ziona, Israel



info@lifebuoyalarm.com

Copyright © 2021-2022 Lifebuoy, all rights reserved. No part of this publication may be reproduced, transmitted, transcribed, stored in a retrieval system, or translated into any language or computer language, in any form or by any means, electronic, mechanical or otherwise without prior written permission of Lifebuoy.

Rev A | Doc P/N: BC-00-70-002